

### CONTENTS

# CORN

- 2 Corn Trait Portfolio
- 4 Corn Characteristics
- 6 Corn Hybrids
- 10 Corn Agronomic Management
- 13 Corn Silage Hybrid Selection
- 15 Enogen Hybrid Characteristics
- 16 Enogen Hybrids
- 17 Enogen Hybrid Agronomic Management

# **SOYBEANS**

- 18 Soybean Trait Portfolio
- 20 Soybean Characteristics
- 22 Soybean Varieties

# **CROP PROTECTION**

28 Wide-ranging Solutions

# **E-LUMINATE**

30 Digital Agronomy Plaform

# **RESOURCES**

- 31 Agrisure Traits Nomenclature
- 32 Hybrid & Variety Keys
- 33 Stewardship

# WHATEVER IT TAKES, 365 DAYS A YEAR



Golden Harvest is driven to deliver the ultimate service experience on your farm, all year round. We'll be there to offer insights on your field conditions, listen to your needs and tailor recommendations to meet them exactly. Not just throughout the growing season, but long before planting and way beyond harvest.

Count on us to be relentless about adding value at every stage of your crop's development, from planting to monitoring performance to evaluating results and planning for the following year.





Golden Harvest is dedicated to developing quality products that meet specific farmer needs. Your Seed Advisor will recommend products that combine locally developed genetics with the traits you need, placed to deliver in your real field conditions. All backed by a year-round service experience that yields results.



### **UNIQUE GENETICS**

To help you hit your harvest numbers, Golden Harvest is continually investing in optimizing product performance and bringing you a range of local choices. Our agronomists and R&D teams work closely with your local Seed Advisor to understand the issues you face and help address them with a locally bred and tested corn and soybean lineup that combines elite genetics with the most choice in industry-leading traits. But the real proof is in the field, where our corn and soybean products yielded 55 Top 3 Finishers and 185 Top 10 Finishers in 2019 FIRST Trials.¹



### **AGRONOMIC EXPERTISE**

Seed Advisors tap into our agronomy team's expertise and leverage the wealth of data in our proprietary E-Luminate® digital platform to more precisely place products for maximum performance in your fields.



### TIRELESS SERVICE

Count on your Golden Harvest® Seed Advisor for insights and local expertise that will help you make the right decisions for your crop throughout the current season and help plan for the next. Because it's not just service; it's a commitment to truly understanding you and your fields.



# LOCALLY PROVEN CORN WITH INDUSTRYLEADING GENETICS

To create hybrids that deliver in your individual conditions, Golden Harvest breeds and tests our products locally. Over 1,600 local trials ensure that we know what works in your area. Our corn hybrids offer:

- Proprietary germplasm with elite genetics that are proven to perform locally
- Strong agronomics, yield potential and standability
- Premium above- and below-ground insect control with Agrisure Duracade® and Agrisure Viptera® traits
- Opportunities to add to your bottom line with Enogen® Corn or Enogen Feed Corn
- The backing of a team of whose agronomic expertise delivers optimal product placement with performanceoptimizing insights throughout the season

FEATURING 32 TOP 3 FINISHERS AND 112 TOP 10 FINISHERS IN 2019 FIRST TRIALS!

'Farmers' Independent Research of Seed Technologies (FIRST). No product recommendation by FIRST is implied. See firstseedtests.com for details.

# PROTECT YOUR CORN'S GENETIC YIELD POTENTIAL.

AGRISURE® TRAITS OFFER THE INDUSTRY'S BROADEST CHOICE OF CUTTING-EDGE TRAIT TECHNOLOGY.

# ✓ Agrisur∈Duracade®

- Features a unique mode of action for strong control of corn rootworm
- Protects root systems for better nutrient and water uptake, helps ensure fuller leaves for increased photosynthesis and maximum grain fill, and results in strong plants that stand all season long
- Provides a new trait rotational option for a healthier crop
- Stacked option with Agrisure Viptera® trait controls 16 damaging above- and below-ground pests, more than any competitive stack
- Delivers a 4.1 bu/A yield advantage over products without Agrisure Duracade\*

## **AgrisureViptera**

- The industry's most comprehensive, best performing, most complete above-ground insect control
- The only trait that effectively controls western bean cutworm
- Reduces risk of mold and mycotoxin development through control of earfeeding insects
- Delivers a 7.3 bu/A yield advantage under ear-feeding insect pressure\*\*

# ✓ Agrisure Artesian<sup>®</sup>

- Maximizes yield when it rains and increases yield when it doesn't
- Offers multiple genes for season-long drought protection
- Optimizes plant health through elite genetics that allow plants to manage gaps in rainfall season-long and yield exceptionally well in good conditions
- Delivers nearly 12% higher yields compared to other hybrids in severe and extreme drought<sup>2</sup>



<sup>\*\*</sup>Study results from Syngenta field trials in 33 locations

<sup>2</sup> Source info: Data is based on 7,613 Syngenta on-farm strip trials across the Corn Belt, 2010–2014.

Syngenta defines a yield environment of 50-99 bu/A assevere and fewer than 50 bu/A as extreme.

# **CORN CHARACTERISTICS**

PRODUCT				TRAIT OFFERS			
	Above/Bell Insect Protection	ow Ground with <b>E-Z Refuge</b>	Above Ground Insect Protection with <b>E-Z Refug</b> e	Above/Below Ground Insect Protection	Above Ground Insect Protection	No Insect Protection	No Insect Protection
Golden Harvest Hybrid Series	Agrisure Duracade	Agrisure 3122	Agrisure 3120	Agrisure 3000GT	Agrisure Viptera	Agrisure GT	Conventional
Golde Hybric	Dordadac		✓ Agrisure Viptera	Agrisure Viptera	3110	Agrisure GT/LL	
G78C29			3220				
G80Q01			3220A			GTA/LL	
G84J92			3120A			GTA	ConvA
G89A09	5122		3120				
G91V51					3110A		
G90Y04	5222A		3220A			GTA/LL	
G95D32			3220			GT/LL	
G95M41	5122						
G96R61 NEW	5222 NEW						
G97N86	5222		3220				
G99E68 NEW	5122 NEW						
G00H12	5122					GT/LL NEW	
G01P52		3122A				GTA/LL	
G02K39	5122		3120				
G03C84	5122		3120				
G03R40	5222						
G04G36 NEW				3111A NEW			
G04S19		3122					
G05K08	5122A						
G06K93						GT/LL	
G06Q68	5222		3220				
G07F23				3111		GT	Conv.
G08M20	5122		3120				
G08R52			3220				
G09A86			3330	3000GT		GT/LL	
G09Y24	5222A		3220A				
G10D21 NEW			3330 NEW				
G10L16	5222A		3330A, 3220A NEW				ConvA NEW
G11V76 NEW	5122 NEW		3120 NEW				
G12J11			3220A				
G12S75 NEW	5122 NEW						
G12U17	5122		3120				
G13M88					3110		
G13Z50	5222		3220				
G14N11	5222						
G14R38		3122	3120			GT	Conv.
G15J91 NEW			3220 NEW				
G15L32	5222 NEW		3330	3000GT			
G16K01				3111		GT	
G18D87				3111		GT	

Flex hybrids adjust to growing conditions by changing ear length or kernel depth. Determinate/Fixed hybrids are less able to adjust ear size. Plant Population is considered more important for a determinate-ear hybrid than for a flex-ear hybrid.

Ratings are based on interpretation of data gathered by Syngenta and/or observations across areas of adaptation and may change as additional data is gathered.

Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, postemergent weed control of Liberty® herbicide for optimum yield and excellent weed control. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF Corporation.











M	ATURI	TY				A	GRO	NOM	IC						F	PLAN	Т					DI	SEAS	SE			PRODUCT
INF	ORMA	TION			(	CHAF	RACT	ΓERIS	STICS	3				СН	ARA	CTE	RIST	ICS				TOL	.ERAI	NCE			PRODUCT
Relative Maturity (RM)	GDUs to Silk	GDUs to Black Layer	Emergence	Seedling Vigor	Root Strength	Stalk Strength	Drought	Green Snap	Staygreen	Drydown	Test Weight	Blunt Ear	Plant Height	Ear Height	Root Type	Leaf Type	Ear Flex	Husk Cover	Cob Color	Gray Leaf Spot	Northern Corn Leaf Blight	Goss's Wilt	Anthracnose Stalk Rot	Tarspot	Fusarium Crown Rot	Common Rust	Golden Harvest Hybrid Series
78	1150	1890	3	3	4	2	2	6	2	3	2	-	4	3	Р	S-U	SF	L	R	-	-	4	-	-	2	-	G78C29
80 86	1150 1200	1810 2140	3	3 3	2	3 2	1 1	3 4	1 3	4 4	2	- 1	5 3	4 5	M M	U S-U	SF SF	M M	R R	-	4 3	4 4	- 2	-	3 2	-	G80Q01 G84J92
89	1215	2280	2	2	3	3	3	4	2	3	3	1	3	5	M	U	SF	L	R	-	4	4	3	-	3	-	G89A09
91 92	1240 1265	2300 2325	3 2	3 3	5 4	4 2	1 1	2 3	4 3	3 3	3 2	6 3	3 2	4 2	M F	U P	SF SF	M M	R R	-	3 3	4 4	3	-	5 3	-	G91V51 G90Y04
95	1280	2400	3	3	3	2	2	5	2	3	2	1	3	4	F	S-U	F	М	R	4	5	3	3	-	3	4	G95D32
95	1245	2365	3	3	2	3	3	2	3	3	3	-	3	4	М	U	SD	М	R	-	4	5	4	-	4	-	G95M41
96	1275	2400	2	2	3	2	2	2	3	3	2	-	2	2	F	U	SF	М	R	-	2	4	3	2	2	-	G96R61 NEW
97	1275	2400	2	2	4	2	3	3	3	3	3	5	3	2	М	U	SD	L	R	4	4	4	-	-	3	-	G97N86
99	1300	2445	3	2	2	3	3	4	2	3	3	-	3	3	М	S-U	SF	М	R	2	2	5	3	4	4	-	G99E68 NEW
100	1315	2420	3	3	2	3	2	2	4	3	3	-	5	5	M	S-U	SD	М	R	3	5	5	-	2	4	-	G00H12
101	1335	2460	2	2	4	2	1	3	2	4	3	1	2	3	Р	U	SF	М	Pi	4	5	3	3	3	2	-	G01P52
102	1305	2475	3	3	2	2	2	2	1 -	3	5	-	5	5	M	U	F	M	R -	3	4	3	-	4	2	-	G02K39
103	1355	2475	4	4	3	4	3	4	5	3	4	5	3	3	M	S-U	SF	M	R	4	3	4	4	3	4	3	G03C84
103	1335	2445	2	3	2	2	3	2	3	4	2	-	4	4	M	U	SD	M	R	4	5	3	-	3	2	-	G03R40
104	1320	2550	4	2	2	3	1	3	5	3	4	-	5	6	M	S-U		L	R	3	3	3	5	4	5	-	G04G36 NEW
104	1385 1310	2570 2555	3	3	4	3	3	3	4 6	3	5 4	-	5	2 6	M P	S-U U	SF SD	M M	Pi R	4	3	3	2	4 5	4 5	-	G04S19 G05K08
103	1385	2530	3	3	3	3	2	4	4	4	3	-	3	3	М	S-U	F	M	R	5	4	3	4	-	5	4	G06K93
106	1355	2560	3	3	3	3	2	3	4	3	5	_	4	5	М	U	SF	М	R	5	2	4	-	4	4	-	G06Q68
107	1375	2570	3	3	3	2	2	3	4	3	4	_	5	5	М	S-U	SF	M	Pi	3	2	4	_	3	3	5	G07F23
108	1365	2575	3	3	3	3	3	5	5	4	3	_	5	5	М	S-U	SF	L	R	3	3	4	_	6	5	7	G08M20
108	1370	2580	3	3	2	2	2	4	4	4	4	_	5	5	М	U	SF	М	R	5	3	4	-	_	5	-	G08R52
109	1385	2580	3	2	3	2	3	5	4	4	4	-	3	4	М	S-U	SD	М	Pi	2	5	4	-	4	4	5	G09A86
109	1420	2570	3	3	4	4	1	3	5	4	4	-	5	3	М	S-U	SF	М	R	5	2	4	-	4	5	-	G09Y24
110	1410	2570	3	2	3	3	3	5	3	4	4	-	3	2	М	S-U	SD	S	Pi	2	2	3	2	3	4	3	G10D21 NEW
110	1395	2620	2	3	4	4	1	4	5	2	4	-	5	6	М	S-U	SF	М	R	4	6	3	-	-	4	7	G10L16
111	1430	2600	3	3	3	4	2	3	4	3	2	-	4	6	F	U	SF	L	Pi	4	3	6	3	3	3	7	G11V76 NEW
	1415		2	2	4	4	1	4	2	3	2	-	3	2	F	U	SF	М	R	3	4	3	-	-	4	3	G12J11
	1430		4	3	3	2	3	5	2	4	4	-	2	4	М	U	SF	М	R	3	3	3	3	2	3	7	G12S75 NEW
	1425		3	3	4	2	4	2	2	2	4	-	3	3	М	S-U		М	R	4	3	5	-	-	2	-	G12U17
	1430		3	3	2	3	4	3	3	2	4	-	5	4	M	S-U		M	R	3	3	3	-	-	3	4	G13M88
	1435		2	2	2	4	3	3	3	2	4	-	4	4	M	S-U		M	R	4	3	3	-	-	4	7	G13Z50
	1425		2	2	2	4	3	2	3	3	5	-	3	2	M	U	SF	M	Pi	5	5	5	-	-	4	7	G14N11
	1435 1455		3	3	2	3	3	3	4	3	3	-	3	2	M M	U	SD SF	М	R	5	4	4	4	-	3	3 7	G14R38
	1455		4	5 3	2	4	3	3	4 2	4	3	-	3	5 5	M	U S-U		L	W R	3	2	5 4	2	2	4	7	G15J91 <i>NEW</i> G15L32
	1465		2 4	3	5	3	2	3	3	2	4	-	4	4	M	5-U	F	L M	R Pi	5	4	3	3	-	4	6	G16K01
	1480		4	4	4	3	3	3	2	3	2	-	2	3	M	S-U		L	R	3	3	4	-	_	4	3	G18D87
Potin		,	-7			oiabt				Poot 7		-				S-U	JI		- ' '		h Cal			-		rough	

Rating Scale

1 = Best

9 = Worst

- = Not available

**Test Weight** 

1 = High

9 = Low

Plant Height

1 = Tall

9 = Short

Ear Height

1 = High

9 = Low

**Root Type** 

P = Penetrating

M = ModifiedF = Fibrous

Leaf Type U = Upright

S-U = Semi-Upright P = Pendulum

Ear Flex

F = Flex

SF = Semi-Flex

SD = Semi-Determinate

 $\mathsf{D} = \mathsf{Determinate}$ 

**Husk Cover** S = ShortM = Medium

L = Long

Cob Color

R = RedPi = Pink

W = White

**Disease Tolerance** 

1 = High

9 = Low

- = Not available

Drought

Agrisure Artesian water-optimized hybrid. G91V51 Artesian

RM: 91

### DOMINATING PERFORMANCE WITH AGRISURE ARTESIAN TECHNOLOGY

- Maximizes yield when it rains; increases yield when it doesn't
- Strong emergence and seedling vigor for a fast start
- Broad adaptation across all soils and yield environments




G91V51-3110A Brand

G90Y04 Artesian

RM: 92

### **EXCITING YIELD LEVELS PAIRED WITH AGRISURE ARTESIAN TECHNOLOGY**

- Maximizes yield when it rains; increases yield when it doesn't
- Superb stalk strength for ease of harvest
- Very good staygreen and drydown



G90Y04-5222A E-Z Refuge Brand G90Y04-3220A E-Z Refuge Brand G90Y04-GTA/LL Brand

G95D32

RM: 95

### DIVERSE GENETICS WITH EXCITING YIELD PERFORMANCE

- Broad adaptation across yield environments
- Superb stalks for season-long standability
- Solid agronomics for continuous corn acres

Rating 9 7 5 3 1

Emergence

Root Strength

Stalk Strength

Drydown

Drought

G95D32-3220 E-Z Refuge Brand G95D32-GT/LL Brand E095D3-5122 E-Z Refuge Brand **G99E68** 

*NEW* // RM: 99

### TOP-END YIELD POTENTIAL WITH OUTSTANDING ROOTS AND STALKS

- Broad adaptation across soils
- Excellent late-season plant health for season-long standability
   Root Strength season-long standability
- Exceptional performance in poorly drained soils

 Rating
 9
 7
 5
 3
 1

 Emergence
 8
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9

G99E68-5122 E-Z Refuge Brand NEW

G00H12

RM: 100

### **GREAT YIELD STABILITY ACROSS ENVIRONMENTS**

- Shorter plant stature with medium ear placement
- Strong drought tolerance
- Solid stalks and roots for season-long standability



G00H12-5122 E-Z Refuge Brand G00H12-GT/LL Brand NEW E100H1-5122 E-Z Refuge Brand G02K39

RM: 102

### YIELD STABILITY AND PLANT HEALTH FOR CONSISTENT PERFORMANCE

- Broadly adapted across soil types and management objectives
- Excellent plant health and disease package
- Good ear flex provides population flexibility



G02K39-5122 E-Z Refuge Brand G02K39-3120 E-Z Refuge Brand G03R40

RM: 103

### YIELD LEADER WITH BROAD ADAPTATION AND YIELD STABILITY

- Broadly adapted across soil types and management levels
- Excellent stalks and roots for late season standability
- Strong emergence for early planting confidence



G03R40-5222 E-Z Refuge Brand

# G04G36 Artesian

**NEW** // RM: 104

# YIELD STABILITY SUPPORTED BY OUTSTANDING ROOTS AND SOLID STALKS

- Agrisure Artesian corn hybrid provides superior drought tolerance
- Broadly adapted hybrid across all soil environments and management styles
- Solid choice for areas with low to moderate corn rootworm pressure



G04G36-3111A Brand NEW

G07F23

RM: 107

### BROADLY ADAPTED HYBRID WITH CONSISTENT PERFORMANCE ACROSS

YIELD ENVIRONMENTS

- Moderate plant stature with very good root strength
- Excellent stalk strength for late-season standability
- Consistent ear with very good grain quality

Rating Emergence	9	7	5	3	BEST 1
Root Strength	• •	•	•	•	
Stalk Strength	•	•	•		0
Staygreen	•	•	•	0	
Drydown	•	•	•	•	
Drought	• •	•	•	•	0

G07F23-3111 Brand G07F23-GT Brand G07F23 Brand (CONV.)

# G08M20

### **EXCITING COMBINATION OF HIGH YIELDS AND SOLID AGRONOMICS**

- Solid late-season stalks
- Great test weight and grain quality
- Adapted to most soil types



RM: 108

RM: 109


G08M20-5122 E-Z Refuge Brand G08M20-3120 E-Z Refuge Brand E108M2-5122 E-Z Refuge Brand

# G08R52

### RM: 108

# EXCELLENT TOLERANCE TO HEAT AND MOISTURE STRESS WITH BROAD ADAPTATION

- Ear flex allows for population flexibility
- Outstanding roots and stalks for season-long standability
- High-performing hybrid with very strong yield across multiple environments



G08R52-3220 E-Z Refuge Brand

# G09A86

### TOP-END YIELD WITH SOUND AGRONOMICS

- Excellent stalks and strong roots for season-long standability
- Outstanding choice for variable soils provides consistent performance
- Strong protection against Gray Leaf Spot to minimize risk



G09A86-3330 E-Z Refuge Brand G09A86-3000GT Brand G09A86-GT/LL Brand G09Y24 Artesian

**RM: 109** 

### **EXCITING GENETICS WITH AGRISURE ARTESIAN TECHNOLOGY**

- Maximizes yield when it rains; increases yield when it doesn't
- Population flexibility across all environments
- Top-end yield potential with stability when conditions are tough

	Rating	9	7	5	3	BEST 1
	Emergence	• •		•	•	
	Root Strength	• •	•	•	0	
	Stalk Strength	• •		•	0	
	Staygreen	• •		•		
,	Drydown	• •	0		0	
	Drought Season-long Protection	•	•	•	•	• •

G09Y24-5222A E-Z Refuge Brand G09Y24-3220A E-Z Refuge Brand E109Y2-5122A E-Z Refuge Brand G10D21

**NEW // RM: 110** 

# TOP-END YIELDS WITH OUTSTANDING ROOTS AND STALKS FOR SEASON-LONG STANDABILITY

- Consistent high yield potential
- Broadly adapted with a great disease Root Strength package
- Maximize yield potential and performance with higher populations

Rating 9 7 5 3 1
Emergence
Root Strength
Stalk Strength
Orydown
Drought


G10D21-3330 E-Z Refuge Brand NEW

G10L16 Artesian

RM: 110

### INDUSTRY-LEADING YIELD PERFORMANCE ACROSS ALL ACRES

- Leading drought tolerance powered by Agrisure Artesian Technology
- Moderate plant structure for residue management
- Excellent drydown for an early harvest option



G10L16-5222A E-Z Refuge Brand G10L16-3330A E-Z Refuge Brand G10L16-3220A E-Z Refuge Brand MEW G10L16-A Brand (CONV.) MEW G11V76

**NEW** // RM: 111

# VERSATILITY ACROSS SOIL TYPES COMBINED WITH STRONG DROUGHT TOLERANCE

- Moderate plant type with strong roots aids standability
- Fast drydown and good grain quality
- Dependable emergence in stressful environments

 Rating
 9
 7
 5
 3
 1

 Emergence
 9
 7
 5
 3
 1

 Root Strength
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9
 9</

G11V76-5122 E-Z Refuge Brand NEW G11V76-3120 E-Z Refuge Brand NEW

G12S75

NFW // RM- 112

### **OUTSTANDING ROOTS AND STALKS FOR SEASON-LONG STANDABILITY**

- Very good staygreen and late-season intactness
- Strong disease tolerance to NCLB and GLS
- Good ear flex provides population flexibility



G12S75-5122 E-Z Refuge Brand NEW

G12U17

RM: 112

### **EXCELLENT STALKS FOR SEASON-LONG STANDABILITY**

- Exceptional performance in poorly drained soils
- Outstanding late season plant health and intactness
- Excellent drydown for an early harvest option




G12U17-5122 E-Z Refuge Brand G12U17-3120 E-Z Refuge Brand

G13M88

RM: 113

### **SOLID AGRONOMICS WITH YIELD PUNCH**

- Moderate plant structure with dependable stalks and roots
- Strong foliar disease package to maximize performance
- Distinguishing kernel depth with drydown



G13M88-3110 Brand E113M8-5122 E-Z Refuge Brand G13Z50

RM: 113

### **EXCELLENT EMERGENCE AND SOLID EARLY VIGOR**

- Good disease tolerance
- Excellent drydown
- Performs well under a wide range of populations



G13Z50-5222 E-Z Refuge Brand G13Z50-3220 E-Z Refuge Brand E113Z5-5122 E-Z Refuge Brand

G14N11

RM: 114

### **EXCELLENT TOP-END YIELD POTENTIAL WITH BROAD ADAPTABILITY**

- Very strong emergence and vigor allow for an early plant option
- Outstanding root strength for season-long standability
- Moderate plant stature for residue management



G14N11-5222 E-Z Refuge Brand

G14R38

RM: 114

# OUTSTANDING YIELD PERFORMANCE WITH AN EXCELLENT AGRONOMIC PACKAGE

- Strong emergence and seedling vigor
- Superb root strength and proven stalk strength
- Excellent choice for continuous corn acres

Rating 9 7 5 3 1
Emergence
Root Strength
Stalk Strength
Drydown
Drought

G14R38-3122 E-Z Refuge Brand G14R38-3120 E-Z Refuge Brand G14R38-GT Brand G14R38 Brand (Conv.)

G15J91

**NEW** // RM: 115

# OUTSTANDING ROOTS AND ABOVE-AVERAGE STALKS FOR SEASON-LONG STANDABILITY

- Exceptional versatility on a wide range of soil types
- Good ear flex provides population flexibility
- Strong fit for drought-prone environments



G15J91-3220 E-Z Refuge Brand MEW

G15L32

RM: 115

### STRONG AGRONOMICS WITH STABLE YIELD PERFORMANCE

- Population driven for top-end performance
- Very good root and stalk strength for harvest flexibility
- Dependable staygreen to help maximize yield potential



G15L32-5222 E-Z Refuge Brand MEW G15L32-3330 E-Z Refuge Brand G15L32-3000GT Brand

# **CORN AGRONOMIC MANAGEMENT**

PRODUC	т			AG	RONON	/IC MA	NAGEN	MENT A	ND PLA	CEME	NT TRA	ITS			E	ND-US	E TRAIT	rs
			Se	eding F	Rate % /	Adjustm	ent				tation to eld Envi		- 1					
Golden Harvest Hybrid Series	Relative Maturity (RM)	-20%	-10%	%0	+10%	+20%	Root Strength	Stalk Strength	Corn-on-Corn	Drought Prone	High pH	Highly Productive	Variable	Poorly Drained	Starch	Protein	ĪŌ	Feed to Gain
G78C29	78	G	G	В	В	В	4	2	В	G	G	В	G	В	В	F	G	G
G80Q01	80	G	G	В	В	G	2	3	G	В	G	G	В	G	В	G	G	
G84J92	86	G	G	В	В	G	3	2	G	В		В	В	В	В	F		G
G89A09	89	G	G	В	G	G	3	3	В	F	F	В	G	G	В	G		В
G91V51	91	G	G	В	G	G	5	4	F	В	Р	В	В	G	G	F	G	В
G90Y04	92	G	В	В	В	G	4	2	В	В	G	В	В	G	В	G		G
G95D32	95	G	В	В	G	G	3	2	G	В	G	В	В	В	В	F		G
G95M41	95	G	G	В	G	G	2	3		F	G	В	G	G	В	F	F	G
G96R61 NEW	96	G	G	В	G	G	3	2	G	В		G	G	В	G	В	Р	
G97N86	97	G	G	В	В	G	4	2	G	Р	G	В	F	G	G	В	F	G
G99E68 NEW	99	G	G	В	G	G	2	3	G	G	G	В	G	В	-	В	В	
G00H12	100	G	G	В	В	G	2	3	G	G	В	В	G	G		G	G	
G01P52	101		G	В	В	В	4	2	G	В	G	В	В	G	G	В	F	В
G02K39	102		G	В	В	G	2	2	В	В		В	В	В		G	G	В
G03C84	103	G	В	В	G	F	3	4	F	В		В	В	F	G		В	G
G03R40	103		G	В	В	G	2	2	В	G	G	В	G	В		G	G	
G04G36 NEW	104	G	G	В	G	G	2	3		В		G	G	G	-			В
G04S19	104	В	В	В	G		4	3	G	G	Р	G	В	F	В	F		В
G05K08	105	G	В	В	G	G	4	3	G	В	G	В	В	G	G	G	В	В
G06K93	106		G	В	В	G	3	3	G	В	G		В	F	В	F	В	G
G06Q68	106	G	G	В	В	G	3	3	В	В		В	В	G	В	F	F	G
G07F23	107	G	G	В	G	G	3	2	G	В	Р	В	В	G	G	F	В	В
G08M20	108	В	В	В	G		3	3	G	G	G	В	В	F	В	F	G	G
G08R52	108	G	G	В	G	G	2	2	G	В			G	G	В	G	Р	G
G09A86	109		G	В	В	В	3	2	G	G		В	В	В		G	G	В
G09Y24	109	G	В	В	G		4	4		В	Р	В	В	G		G	В	
G10D21 NEW	110	G	G	В	G	G	3	3	G			G	G	G	G	G	В	G
G10L16	110	G	G	В	G	G	4	4	В	В		В	G	G	В	F		G
G11V76 NEW	111	G	G	В	G	G	3	4	G	G	G	G	G	G	-	В	G	G
G12J11	112	G	G	В	G	G	4	4	G	В	Р	В	В	F		G	В	
G12S75 NEW	112	G	G	В	G	G	3	2	В	F		В	В	В	-	В	F	G
G12U17	112	G	G	В	G	G	4	2	F		G	В	G	В	В	В	F	G
G13M88	113	G	G	В	G	G	2	3	G	G	G	В	G	G	F	В	В	G
G13Z50	113	G	G	В	В	В	2	4	G	G	G	В	В	В	G	G	F	G
G14N11	114	G	В	В	G	F	2	4	В	G	G	В	G	В	В	В	F	В
G14R38	114	G	G	В	В	В	2	3	В	G		В	В	В	G	F	G	В
G15J91 NEW	115	G	В	В	G	F	2	4	F	G	G	В	В	В	-	В	В	G
G15L32	115	G	G	В	G	G	3	4	G	G	В	В	G	G	В	F	F	G
G16K01	116		G	В	В	G	5	3	G	В	Р	В	В	F	F	F	G	G
G18D87	118		G	G	В	В	4	3	В	G	G	В	G	G	G	В	F	Р

### **Rating Scale**

1 = Best

9 = Worst

- = Not available

### **Score Interpretation**

B = Best

G = Good

F = Fair

P = Poor - = Not available

### Drought

Agrisure Artesian water-optimized hybrid.

Agronomy ratings are based on statistically analyzed results of studies conducted by Syngenta and are relative to other hybrids within the same maturity group.

### **Corn Population Response Factors**

This annual study aids farmers' understanding of how yield environment, grain price, seed cost and hybrid population response influence seeding rate recommendations. Information from this study is useful in determining the optimum planting population for each hybrid and field.

### Influence of Yield Environment and Commodity Price on Optimum Seeding Rate

YIELD ENVIRONMENT (BU/A)	HIGHEST YIELDING SEEDING RATE (SEEDS/A)	ОРТІ	MUM SEEDING RAT (SEED	E (SEEDS/A) BY CO COST = \$200/80K		(\$/BU)
		\$3.00	\$3.50	\$4.00	\$4.50	\$5.00
280	40,200	36,600	37,100	37,500	37,700	38,000
240	38,500	34,100	34,700	35,100	35,500	35,800
200	36,400	31,000	31,700	32,300	32,700	33,100
160	33,800	26,900	27,700	28,400	29,000	29,400
120	29,700	20,900	21,900	22,700	23,400	23,900

### General Interpretation of Hybrid Response to Management/Placement Situations and End-Use Traits

The Agronomy in Action Research program analyzes the agronomic characteristics of Golden Harvest products to aid in placement and usage in real-world farm situations. With Agronomy in Action locations positioned throughout the Corn Belt, the annual research answers the "why", "how" and "where" questions of best management practices for our products. Uniform testing methodology ensures that research results are a reliable prediction of the response farmers will see in their fields. By conducting this annual research and compiling across multiple years, Golden Harvest provides tremendous insight into specific management tactics for each product—insight farmers can use to maximize the potential for profit on their farms. The Agronomic Management chart lists hybrid performance characteristics collected from results of these studies.

Seeding Rate % Adjustment: After determining the best corn seeding rate for your field (or zones within field) from the chart above, consider fine-tuning seeding rates with hybrid-specific response knowledge. The seeding rate adjustment chart highlights different hybrids' ability to be planted at seeding rates greater than or less than the normal recommended rate based on the economic response from agronomic trialing. Root and Stalk strength ratings are also provided for additional knowledge of hybrid agronomic fit for planting at increased seeding rates.

Adaptation to Soil Types/Yield Environments: Ratings and soil type classifications are based on interpretation of studies conducted by Syngenta.

Corn-on-Corn: Two key criteria are used to determine corn-on-corn crop rotation hybrid ratings: 1) Corn-on-corn yield retention data, calculated by comparing each hybrid's yield in a corn-on-corn rotation versus a corn-on-soybean rotation, which was then compared to the average corn-on-corn yield retention of all hybrids tested, and 2) Hybrid agronomic characteristics; characteristics include early season vigor, root characteristics and disease tolerance.

High pH Performance: Ratings represent an assessment of stand establishment, chlorosis severity and yield performance.

End-Use Traits: The Corn Hybrid Grain End-Use Ratings provide information that can help farmers who produce corn for livestock, the ethanol industry or other grain end uses where grain quality can be just as important as grain yield. These Corn Hybrid Grain End-Use Ratings are supported by collecting grain samples from internal company trials, which are sent to an independent laboratory for protein, oil and starch analysis.

Feed to Gain Response: Feed to gain is the average pounds of feed needed for each pound of animal gain. Lower feed to gain values are more desirable because animals consume less feed to produce the same amount of weight gain, potentially resulting in less feed input cost. The Corn Hybrid Beef Feed to Gain Ratings are provided to help farmers produce the best corn for livestock rations. These Corn Hybrid Beef Feed to Gain Ratings are supported by collecting grain samples from internal company trials, which are sent to an independent laboratory to analyze for kernel density/hardness (grams/cubic centimeter) and kernel weight per 1000 kernels. Individual hybrid ratings illustrate which hybrids provide the best feed to gain response.

"GOLDEN HARVEST LOOKS FORWARD TO WORKING WITH YOU TO BUILD ON THE LEGACY OF OUR HISTORIC BRAND. WE PROMISE TO ALWAYS PUT YOUR NEEDS FIRST, WHILE BRINGING YOU GENETICS, AGRONOMY AND SERVICE PAIRED WITH NEW SOLUTIONS LIKE E-LUMINATE AND GAME PLAN."

**Dave Young** 

Head, Golden Harvest Marketing



# SILAGE PRODUCTS SELECTED TO PERFORM FOR YOUR HERD.

Trust your Seed Advisor to understand the silage needs of your operation and offer product recommendations to help increase the productivity of your herd. In addition to choosing hybrids that fit your soil conditions and your grain quality requirements, your Seed Advisor can offer advice on:

- Testing soil to monitor fertility issues as a result of manure applications
- Planting population recommendations and planting timing considerations
- Harvest timing to ensure optimal moisture and higher quality silage
- How Enogen® Feed corn hybrids may increase your potential return on investment

## **CORN SILAGE HYBRID SELECTION**

Silage quality and yield scores are based on actual tonnage—the silage analysis values were compared to hybrids of similar maturity.

PRODU	СТ				NOMIC ERIST				EASE RANCE				AGRO	NOMI	C RES	EARC	CH RA	TINGS			
													(%)	<del>S</del>				Feed	l Effec	t On*	
Golden Harvest Hybrid Series	Relative Maturity (RM)	Emergence	Root Strength	Drought	Staygreen	Plant Height	Ear Height	Gray Leaf Spot	Goss's Wilt	Yield (Ton/A)	CP (% of DM)	NDF 48 hr (%)	NDF Dig. 48 hr (%)	Starch (% of DM)	Fat (% of DM)	TDN (% of DM)	NEL (Mcal/lb)	Milk (lbs/Ton)*	Milk (lbs/A)*	Beef (lbs/Ton)*	Beef (lbs/A)*
G78C29	78	3	4	2	2	4	3	-	4	G	G	В	В	В	-	В	В	В	В	В	G
G80Q01	80	3	2	1	1	5	4	-	4	G	G	G	G	В	-	G	-	G	G	G	G
G84J92	86	3	3	1	3	3	5	_	4	В	G	G	G	В	В		G		G		G
G89A09	89	2	3	3	2	3	5	-	4	В	G		G		-	G	-	G	G	G	G
G91V51	91	3	5	1	4	3	4	-	4	В	G	G	G	G	-	G	-	В	В	В	В
G90Y04	92	2	4	1	3	2	2	_	4	В	В		G	G	В	G	G	G	В	G	В
G95D32	95	3	3	2	2	3	4	4	3	В	F	G	G	В	В	G	G	В	В	В	В
G95M41	95	3	2	3	3	3	4	-	5	F		G		В				F	F	F	F
G97N86	97	2	4	3	3	3	2	4	4	В	В	G		G	В	G	G	В	В	В	В
G00H12	100	3	2	2	4	5	5	3	5	В	В	F		G	В			F	G	F	G
G01P52	101	2	4	1	2	2	3	4	3	G	G	В	G	G	F	G	G	G	G	G	G
G02K39	102	3	2	2	1	5	5	3	3	В	G	G	G	В	В	В	В	В	В	В	В
G03C84	103	4	3	3	5	3	3	4	4	G	G	G	G	В	В	G	G	F	G	G	G
G03R40	103	2	2	3	3	4	4	4	3		В	Р	F	Р	В						
G04S19	104	4	4	3	4	2	2	4	3	В	G	G	G	G	G	G	В	G	В	G	В
G05K08	105	3	4	1	6	5	6	4	4	G	В	В	G	В	В	G	G	G	G	G	G
G06K93	106	3	3	2	4	3	3	5	3	G	F	G	G	В	В	В	G	В	G	В	G
G06Q68	106	3	3	2	4	4	5	5	4		G	G	G	В	В	G	В	G		G	F
G07F23	107	3	3	2	4	5	5	3	4	В	G	G	G	G	G	В	В	В	В	В	В
G08M20	108	3	3	3	5	5	5	3	4	G	В	В	G	В	В	F	G	F	F	F	F
G09A86	109	3	3	3	4	3	4	2	4	В	В	G	F	В	G	G	G	G	G	G	В
G09Y24	109	3	4	1	5	5	3	5	4	G	G	G	В	G	G	В	В	В	G	В	G
G10L16	110	2	4	1	5	5	6	4	3		G	В	G	В	В	G	G	G		G	F
G12J11	112	2	4	1	2	3	2	3	3	G	G	F	F	G	G	G	G	G	G	G	G
G12U17	112	3	4	4	2	3	3	4	5	G	G	В	В	В		G	G	G	G	G	G
G13M88	113	3	2	4	3	5	4	3	3			В	G	В	G	G				G	
G13Z50	113	2	2	3	3	4	4	4	3			G	G	G		G	G	G		G	
G14N11	114	2	2	3	3	3	2	5	5	В		В	G	В	G	G	G	G	В	G	В
G14R38	114	3	2	3	4	3	2	5	4	G		В	G	В	В	В	В	В	В	В	В
G15L32	115	2	3	4	2	4	5	3	4	В	G	G	G	В	G	G	G	G	G	G	G
G16K01	116	4	5	2	3	4	4	5	3	G		G	G	G	G	В	В	В	G	В	G
G18D87	118	4	4	3	2	2	3	3	4	В	В	G	В	G	G	В	В	В	В	В	В

NOTE: Hybrid characteristics such as staygreen and drought stress tolerance are also important to consider when selecting hybrids for silage. Digestibility ratings are based on NIR and in-vitro digestibility analysis. Milk performance estimates generated from University of Wisconsin equations. Comparisons should only be made among hybrids within a maturity group. Although actual silage yield and quality analysis of a hybrid will vary with environment, the relative ranking of a hybrid will be similar. These ratings are a relative performance guide. Conduct a laboratory test to determine actual silage quality when balancing a feed ration.

### **Rating Scale**

1 = Best

9 = Worst

- = Not available

### Plant Height

1 = Tall

9 = Short

### Ear Height

1 = High

9 = Low

# B = BestG = GoodF = FairP = Poor

Ratings Key

- = Not available

### Drought:

Agrisure Artesian water-optimized hybrid.

\*NOTE: These ratings should not be used to estimate actual production per animal, but instead they should be used to determine relative overall silage quality and yield of each hybrid.

\*\*Milk/A: Combining yield and quality into a single term, https://fyi.uwex.edu/forage/files/2016/11/Milk-2016-Combining-Yield-and-Quality-into-a-Single-Term-2.pdf

### **Using This Chart**

**Yield:** Calculated on a per-acre basis and adjusted to standard moisture.

**Crude Protein (CP):** Indicates the percent content of feed component relative to other hybrids.

**Neutral Detergent Fiber (NDF 48 hr):** Measure of the indigestible and slowly digestible components of the silage.

Neutral Detergent Fiber Digestibility 48 Hour (NDF Dig 48 hr): Estimates the ruminant digestibility of the NDF fraction.

**Starch:** Indicates the percent content of feed component.

**Fat:** Indicates the percent of feed component that is fat.

**Total Digestible Nutrients (TDN):** Sum of the digestibility of different nutrients.

**Net Energy Lactation (NEL):** Feed effect on net energy for lactating cows based on acid detergent fiber (ADF).

Milk/Ton: An estimate of forage quality driven by starch content, starch digestibility and NDF; Milk/A combines the estimate of forage quality (Milk/Ton) and yield (Tons/A) into a single term.\*\*

**Beef/Ton:** A proprietary estimate of forage quality driven by TDN; **Beef/A** combines the estimate of forage quality (Beef/Ton) and yield (Tons/A) into a single term.



With proven, high-yielding hybrids across a variety of soil conditions, Enogen® corn hybrids may help boost the bottom line for producers of livestock, dairy or ethanol.



### ADDED VALUE IN DAIRY AND BEEF

- Enogen Feed corn hybrids in dairy operations can increase feed efficiency by an average of 5%. Results released by researchers at a leading university confirmed a 4% increase in ECM feed efficiency (6% uncorrected)¹ – with no negative effect on milk quality parameters or rumen fermentation.
- Enogen Feed corn hybrids improve starch utilization, resulting in more available energy for your herd.
- Enogen Feed corn hybrids may be harvested as silage, grain or high-moisture corn, allowing for greater flexibility and ease of use with minimized management needs, as compared to alternative silage-specific hybrids for beef or dairy operations.
- Farm-proven yields, equal to or better than non-Enogen
   Feed hybrids<sup>2</sup>

# ADDED VALUE IN ETHANOL PRODUCTION

- Enogen corn enables farmers to produce highly desirable corn for ethanol plants
- Enogen hybrids feature a unique corn enzyme that is designed to increase potential throughput while reducing natural gas, water and electricity use.
- These highly desirable traits may command a premium at sale for potential increased return on investment.

<sup>1</sup>University of Nebraska-Lincoln Research Study, 2014 <sup>2</sup>Syngenta production data 2012-2017

# **ENOGEN HYBRID CHARACTERISTICS**

PRODUCT	TRAIT O	FFERS*		ATURI DRMA				СН			NOM ERI		cs			C	СНА		LAN	T RIST	ΓICS	3	DI	SEA	SE	TOL	ER	ANC	Œ
Enogen Hybrid Series	Above/Below Ground Insect Protection <b>E-Z Refuge</b> A <b>Agrisure</b> Duracade	Above/Below Ground Insect Protection	Relative Maturity (RM)	GDUs to Silk	GDUs to Black Layer	Emergence	Seedling Vigor	Root Strength	Stalk Strength	Drought	Green Snap	Staygreen	Drydown	Test Weight	Blunt Ear	Plant Height	Ear Height	Root Type	Leaf Type	Ear Flex	Husk Cover	Cob Color	Gray Leaf Spot	Northern Corn Leaf Blight	Goss's Wilt	Anthracnose Stalk Rot	Tarspot	Fusarium Crown Rot	Common Rust
E086J9	5122A		86	1200	2140	3	3	3	2	1	4	3	4	2	1	3	5	М	S-U	SF	М	R	-	3	4	2	-	2	-
E092T4		3000GT	92	1265	2350	3	3	5	4	3	3	3	2	5	3	2	2	F	Р	F	М	R	5	3	6	4	-	5	2
E095D3	5122		95	1280	2400	3	3	3	2	2	5	2	3	2	1	3	4	F	S-U	F	М	R	4	5	3	3	-	3	4
E100H1	5122		100	1315	2420	3	3	2	3	2	2	4	3	3	-	5	5	М	S-U	SD	М	R	3	5	5	-	2	4	-
E101P5		3011A	101	1335	2460	2	2	4	2	1	3	2	4	3	1	2	3	Р	U	SF	М	Pi	4	5	3	3	3	2	-
E105T1		3000GT	105	1355	2550	2	2	5	2	2	4	2	3	4	2	2	3	М	U	SF	М	Pi	4	5	3	2	3	2	3
E106Q6	5122		106	1355	2560	3	3	3	3	2	3	4	3	5	-	4	5	М	U	SF	М	R	5	2	4	-	4	4	-
E108M2	5122		108	1365	2575	3	3	3	3	3	5	5	4	3	-	5	5	М	S-U	SF	L	R	3	3	4	-	6	5	7
E107B3		3011A	109	1375	2570	4	2	5	4	1	4	4	5	4	-	3	4	М	Р	SF	М	Pi	5	4	4	4	-	4	-
E109R3		3000GT	109	1395	2570	3	2	5	2	2	4	2	4	2	-	2	3	М	U	SD	М	Pi	3	3	5	2	-	2	3
E109Y2	5122A		109	1420	2570	3	3	4	4	1	3	5	4	4	-	5	3	М	S-U	SF	М	R	5	2	4	-	4	5	-
E112J1		3011A	112	1415	2600	2	2	4	4	1	4	2	3	2	-	3	2	F	U	SF	М	R	3	4	3	-	-	4	3
E113Z5	5122		113	1435	2650	2	2	2	4	3	3	3	2	4	-	4	4		S-U		М	R	4	3	3	-	-	4	7
E114H6	5122A		114	1455	2660	4	4	4	5	1	4	3	3	3	-	3	3	М	S-U	SF	М	R	3	2	3	5	-	5	2
E116K4		3000GT	116	1465	2690	4	3	5	3	2	3	3	2	4	-	4	4	М	Р	F	M	Pi	5	4	3	3	-	4	6
E118D8		3000GT	118	1480	2700	4	4	4	3	3	3	2	3	2	-	2	3	М	S-U	SF	L	R	3	3	4	_		4	3
Rating Scale 1 = Best 9 = Worst	1	Plant Height 1 = Tall 9 = Short			Root T P = Per M = Mo	netra odifie	ed			!		lex Ser	mi-Fl				R Pi	= R i = P		r				Agr		e Art	esia nized	n I hyb	orid.

- = Not available F = Fibrous SD = Semi-Determinate W = White Ear Height D = Determinate **Test Weight** 1 = High**Leaf Type Disease Tolerance** 1 = HighU = Upright **Husk Cover** 9 = Low1 = HighS-U = Semi-Upright 9 = LowS = Short9 = LowP = PendulumM = Medium- = Not available L = Long

Flex hybrids adjust to growing conditions by changing ear length or kernel depth. Determinate/Fixed hybrids are less able to adjust ear size. Plant Population is considered more important for a determinate-ear hybrid than for a flex-ear hybrid.

### Note: Disease and Insect Ratings

Ratings are not absolute; environmental conditions and certain cultural practices, such as continuous corn, play a critical role in disease development and insect infestation, which can, in turn, predispose plants to secondary disease such as stalk and ear rots. If conditions are severe, even hybrids rated as resistant can be adversely affected. Farmers should balance yield potential, hybrid maturity and cultural practices against the anticipated risk of disease or insect pressure.

Ratings are based on interpretation of statistically analyzed results of studies conducted by Syngenta.

		HERBICIDE	TOLERANCE
	EVT TYPE	GLYPHOSATE	GLUFOSINATE
Engage Hybride with Agricure Durgoode® 5122 troit stock	EZT1	x	x
Enogen Hybrids with Agrisure Duracade® 5122 trait stack	EZT0	x	
	EVT5.1	x	x
Enogen Hybrids with Agrisure® 3000GT trait stack or	EVT3	X	
Agrisure Artesian® 3011A trait stack	EVTL	x	x
	No EVT	x	x







Important: Always read and follow label and bag tag instructions;

only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium-based herbicides.

Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, postemergent weed control of Liberty® herbicide for optimum yield and excellent weed control.

E095D3

### **DIVERSE GENETICS WITH EXCITING YIELD PERFORMANCE**

- Broad adaptation across yield environments
- Superb stalks for season-long standability
- Solid agronomics for continuous corn acres



E095D3-5122 E-Z Refuge Brand

**RM: 105** 

### **EXCELLENT TOP-END YIELD WITH STRONG AGRONOMICS TO MAXIMIZE GROWER PRODUCTIVITY**

- Adapted to continuous corn acres
- Fantastic late-season plant health and stalk strength allow movement south of zone
- Good drought tolerance allows for flexible placement on soil types

Rating Emergence Root Strength ...... Stalk Strength Staygreen Drydown ....... Drought

E105T1-3000GT Brand

E109R3

RM: 109

**RM: 95** 

### HIGH-YIELDING GENETICS THAT PERFORM ON YOUR BEST ACRES

- Outstanding stalk strength with a strong disease package
- Well adapted in and north of zone
- Best performance at medium to high plant populations



E109R3-3000GT Brand

E109Y2 Artesian

RM: 109

### **EXCITING GENETICS WITH AGRISURE ARTESIAN TECHNOLOGY**

- Maximizes yield when it rains; increases yield when it doesn't
- Population flexibility across all environments
- Top-end yield potential with stability when conditions are tough

Emergence Root Strength Stalk Strength Staygreen Drydown Drought Season-long Pr

E109Y2-5122A E-Z Refuge Brand

E113Z5

RM: 113

### **EXCELLENT EMERGENCE AND SOLID EARLY VIGOR**

- Good disease tolerance
- Excellent drydown
- Performs well under a wide range of populations




E113Z5-5122 E-Z Refuge Brand

E116K4

**RM: 116** 

### **BROADLY ADAPTED PRODUCT WITH SUPERIOR YIELD POTENTIAL**

- Well adapted to drought-prone soils
- Yields well in high-disease environments, despite average Gray Leaf Spot resistance
- Stable plant and ear height across rolling stress environments



E116K4-3000GT Brand

## **ENOGEN HYBRID AGRONOMIC MANAGEMENT**

PRODUC	т			A	GRONO	MIC MA	NAGEN	MENT A	ND PLA	CEMEN	T TRAI	rs			END-	USE TF	RAITS
			Se	eding F	Rate % A	Adjustme	ent		Adapta	ation to	Soil Typ	es/Yield	Environ	ments			
Enogen Hybrid Series	Relative Maturity (RM)	- 20%	- 10%	%0	+ 10%	+ 20%	Root Strength	Stalk Strength	Corn-on-Corn	Drought Prone	High pH	Highly Productive	Variable	Poorly Drained	Starch	Protein	li <u>O</u>
E086J9	86	G	G	В	В	G	3	2	G	В	F	В	В	В	В		F
E092T4	92	G	G	В	В	G	5	4	G	G	G	В	G	В	G	G	F
E095D3	95	G	В	В	G	G	3	2	G	В	G	В	В	В	В		F
E100H1	100	G	G	В	В	G	2	3	G	G	В	В	G	G		G	G
E101P5	101		G	В	В	В	4	2	G	В	G	В	В	G	G	В	F
E105T1	105		G	В	В	В	5	2	G	В	G	В	В	В	В		F
E106Q6	106	G	G	В	В	G	3	3	В	В		В	В	G	В		F
E108M2	108	В	В	В	G		3	3	G	G	G	В	В	F	В		G
E107B3	109	G	В	В	G	G	5	4	G	В		G	В	F	G		В
E109R3	109		G	В	В	В	5	2	G	В	F	В	В	В	В	G	F
E109Y2	109	G	В	В	G		4	4	F	В	Р	В	В	G		G	В
E112J1	112	G	G	В	G	G	4	4	G	В	Р	В	В			G	В
E113Z5	113	G	G	В	В	В	2	4	G	G	G	В	В	В	G	G	F
E114H6	114	G	В	В	G		4	5	G	В		В	В	F	G		G
E116K4	116		G	В	В	G	5	3	G	В	Р	В	В				G
E118D8	118		G	G	В	В	4	3	В	G	G	В	G	G	G	В	

### Rating Scale

1 = Best

9 = Worst - = Not available

### Score Interpretation

B = Best G = Good

= Goo = Fair

P = Poor
- = Not available

### Drought

Agrisure Artesian water-optimized hybrid.

Agronomy ratings are based on statistically analyzed results of studies conducted by Syngenta. Agronomy ratings are relative based on other hybrids within the same maturity group.

### **Corn Population Response Factors**

This annual study aids farmers' understanding of how yield environment, grain price, seed cost and hybrid population response influence seeding rate recommendations. Information from this study is useful in determining the optimum planting population for each hybrid and field.

### Influence of Yield Environment and Commodity Price on Optimum Seeding Rate

YIELD ENVIRONMENT (BU/A)	HIGHEST YIELDING SEEDING RATE (SEEDS/A)	ОРТІМ		E (SEEDS/A) BY CO COST = \$200/80K		(\$/BU)
		\$3.00	\$3.50	\$4.00	\$4.50	\$5.00
280	40,200	36,600	37,100	37,500	37,700	38,000
240	38,500	34,100	34,700	35,100	35,500	35,800
200	36,400	31,000	31,700	32,300	32,700	33,100
160	33,800	26,900	27,700	28,400	29,000	29,400
120	29,700	20,900	21,900	22,700	23,400	23,900

### General Interpretation of Hybrid Response to Management/Placement Situations and End-Use Traits

Seeding Rate % Adjustment: After determining the best corn seeding rate for your field (or zones within field) from the chart above, consider fine-tuning seeding rates with hybrid specific response knowledge. The seeding rate adjustment chart highlights different hybrids ability to be planted at seeding rates greater than or less than the normal recommended rate based on the economic response from agronomic trialing. Root and stalk strength ratings are also provided for additional knowledge of hybrid agronomic fit for planting at increased seeding rates.

Adaptation to Soil Types/Yield Environments: Ratings and soil type classifications are based on interpretation of studies conducted by Syngenta.

Continuous Corn Agronomic Characteristics: Favorable ratings in this column indicate hybrids containing multiple agronomic phenotypic traits deemed important for fields where corn is being cultivated for consecutive years. Ratings are weighted based on the following individual hybrid characteristics: yield, emergence strength, early vigor, root and stalk strength, staygreen and foliar disease tolerance.

High pH Performance: Ratings represent an assessment of stand establishment, chlorosis severity and yield performance.

End-Use Traits: Ratings indicate end-use suitability based on the level of each grain quality characteristic.



# SOYBEANS WITH PROVEN YIELD POTENTIAL AND INDUSTRY-LEADING CHOICE WEED CONTROL OPTIONS.

Golden Harvest Soybeans are recognized for top-end yield potential with the broadest choice of trait packages. Nearly 900 local trials help ensure that we know what works in your area. Backed with locally knowledgeable Seed Advisors you can trust to select and place the right products for your conditions, our soybean varieties offer:

### **PROVEN PERFORMANCE**

- Industry-leading genetics in locally bred and tested varieties for proven yield
- 23 Top 3 Finishers and 73 Top 10 Finishers in 2019 FIRST Trials¹

### STRONG DEFENSIVE AGRONOMICS

 Excellent tolerance to damaging pests and diseases such as Soybean Cyst Nematode, Sudden Death Syndrome, Iron Deficiency Chlorosis and Phytophthora root rot

'Farmers' Independent Research of Seed Technologies (FIRST). No product recommendation by FIRST is implied. See firstseedtests.com for details.

# BROADEST CHOICE OF HERBICIDE TOLERANCE TRAITS FOR SUPERIOR WEED CONTROL.



**Enlist E3® Soybeans** provide yield potential and agronomics and offer superior application flexibility and tank mix options to manage resistant weeds.



Roundup Ready 2 Xtend® Soybeans deliver a full portfolio of proven yield performance with defensive trait options.



**LibertyLink® GT27™ Soybeans** are known for yield potential and agronomics and allow for in-season glufosinate and glyphosate applications.



# **SOYBEAN CHARACTERISTICS**

PROD	DUCT							Į.	AGRON	OMIC	/PLAI	NT CHA	ARAC'	TERIST	ICS*					
		(MF		0									σ,	Ad		on to Sc		es/		oicide
Golden Harvest Soybean Brands	Herbicide Tolerant Trait	Relative Maturity (RM)	Emergence	Canopy/Plant Type	Plant Height	Standability	Narrow Row	Wide Row	Flower Color	Pubescence Color	Pod Color	Hilum Color	Green Stem Rating	Drought Prone	Hg hgiH	Highly Productive	Variable	Poorly Drained	Sulfentrazone	Metribuzin Metribuzin
GH1763E3	E3	1.7	3	М	М	2	2	1	WH	LTW	TN	BL	-	G	F	G	G	G	В	В
GH1915X	RR2X	1.9	3	М	MS	2	1	2	WH	LTW	BR	BL	4	F		В	G	G	В	G
GH1955E3 NEW	E3	1.9	2	М	М	4	2	2	PUR	GR	BR	IMB	-	-	-	_	-	-	-	F
GH2011E3	E3	2.0	3	М	М	2	1	1	PUR	GR	BR	BF	2	G	F	G	В	G	G	В
GH2041X	RR2X	2.0	3	М	М	2	1	2	WH	LTW	BR	BL	3	G	G	В	В		В	В
GH2230X	RR2X	2.2	3	М	М	3	1	2	WH	LTW	BR	BL	3			G	F	В	В	В
GH2279E3	E3	2.2	3	Т	М	2	1	3	PUR	GR	TN	BF	3	G		G	G	G	В	G
GH2329X NEW	RR2X	2.3	2	MB	М	4	3	1	WH	LTW	BR	BL	3	G		G	G	В	В	В
GH2420E3	E3	2.4	3	М	MS	2	1	2	WH	LTW	TN	BL	2			G		F	В	В
GH2427LG	LL/GT27	2.4	2	MB	М	3	3	1	PUR	LTW	BR	BL	3	В	G	В	В	G	В	В
GH2505E3 NEW	E3	2.5	3	М	MT	5	3	1	PUR	GR	BR	IMB	-	-	-	-	-	-	-	G
GH2552X	RR2X	2.5	3	MB	MT	3	2	1	WH	LTW	BR	BL	2	G	G	G	В	В	В	В
GH2610E3	E3	2.6	2	М	М	2	1	2	PUR	GR	TN	BF	2		G	В	G	G	G	В
GH2727LG	LL/GT27	2.7	2	MB	М	3	2	1	PUR	LTW	TN	BR	2	В		В	В	В	G	G
GH2788X	RR2X	2.7	3	М	MS	2	1	1	PUR	GR	BR	IMB	3	G	Р	В	G	В	F	G
GH2818E3	E3	2.8	2	М	М	3	1	1	WH	GR	TN	BF	2	В		В	В	G	G	В
GH2981X	RR2X	2.9	2	MB	М	3	1	1	PUR	LTW	BR	BL	2	G	G	В	В	G	G	В
GH3027LG	LL/GT27	3.0	3	М	М	3	1	2	WH	LTW	TN	BR	3	G		G	G	G	В	G
GH3042E3	E3	3.0	3	MB	М	3	2	1	PUR	GR	TN	IMB	3	G		G	G	G	В	В
GH3152E3S	E3/STS	3.1	2	MB	MT	3	1	1	PUR	GR	BR	BF	4	В	Р	В	В	G	В	-
GH3195X	RR2X	3.1	3	М	М	3	1	2	WH	LTW	BR	BL	4	G	G	G	G	В	G	G
GH3347X NEW	RR2X	3.3	2	MT	Т	3	1	1	PUR	LTW	TN	BL	2	В	G	В	В	G	В	В
GH3380E3 NEW	E3	3.3	3	MB	MT	3	2	1	PUR	LTW	BR	BR	-	-	-	-	-	-	-	G
GH3427LG	LL/GT27	3.4	3	М	М	2	2	2	PUR	LTW	TN	BL	2	G	G	G	G	G	В	В
GH3475X	RR2X	3.4	3	MB	М	3	2	1	PUR	LTW	BR	BL	3	G		В	G	В	В	G
GH3546X	RR2X	3.5	2	М	MT	3	1	1	PUR	LTW	BR	BL	2	G	G	В	В	В	В	В
GH3582E3	E3	3.5	2	М	М	2	1	1	PUR	GR	TN	IMB	2	В	Р	В	G	G	В	В
GH3624E3	E3	3.6	2	М	М	2	3	2	WH	GR	BR	BF	2	F	F	В	G		F	В
GH3727LG	LL/GT27	3.7	2	М	М	3	3	1	PUR	LTW	BR	BR	3	В	Р	G	G	G	В	G
GH3728X	RR2X	3.7	2	М	М	2	1	1	PUR	GR	BR	IMB	2	В	Р	G	G	В	G	В
GH3759E3S	E3/STS	3.7	2	М	MT	2	1	1	WH	GR	BR	BF	-	G	Р	В	G	В	В	В
GH3918E3S NEW	E3/STS	3.9	3	MB	М	3	2	1	WH	LTW	BR	BR	-	-	-	-	-	-	-	G
GH3922E3	E3	3.9	2	MB	М	2	1	1	WH	GR	BR	BF	3	В		G	G	G	G	G
GH3927LG	LL/GT27	3.9	3	М	MT	2	2	1	WH	LTW	BR	BL	-	G		F	В	G	В	В
GH3934X	RR2X	3.9	2	М	MT	3	2	2	PUR	GR	BR	IMB	1	В	G	В	G	G	G	В
GH4155E3	E3	4.1	2	MB	MT	2	1	1	PUR	LTW	TN	BR	2	G	G	G	F	G	G	G
GH4201E3 NEW	E3	4.2	3	М	М	3	1	1	WH	LTW	BR	BR	-	-	-	-	-	-	-	G
GH4240XS	RR2X/STS	4.2	2	М	MT	2	1	1	WH	GR	BR	BF	3	G	Р	В	В	В	F	В
GH4307X	RR2X	4.3	3	М	MT	4	3	1	PUR	LTW	TN	BL	4	В	F	В	В	В	G	G
GH4314E3	E3	4.3	3	MB	М	3	2	1	WH	GR	TN	BF	2	F	Р	F	G	F	G	G

<sup>\*</sup> NOTE: E3 product descriptions and ratings are sourced from the variety's genetic supplier and may change as additional data are gathered.

**Herbicide Tolerant Traits** 

RR2X = Roundup Ready 2 Xtend® RR2X/STS = Roundup Ready 2 Xtend® and STS®

E3 = ENLIST E3®

E3/STS = ENLIST E3® and STS® LL/GT27 = Liberty Link® GT27™

Canopy/ **Plant Type** 

T = ThinMT = Medium-Thin

M = Medium MB = Medium-Bush B = Bush

Plant Height

S = Short

MS = Medium-Short M = Medium

MT = Medium-Tall T = Tall

**Growth Habit** IND = Indeterminate

DET = Determinate

**Color Abbreviations** 

BF = BuffBL = Black

BR = Brown

GR = Gray IMB = Imperfect Black

IMY = Imperfect Yellow

LTW = Light Tawny PUR = Purple

TN = Tan

TW = Tawny

WH = White

YEL = Yellow

### Adaptation to Soil Types/ **Yield Environments**

B = Best

G = Good

F = Fair

P = Poor

- = Not available

	AIN LITY*				DIS	SEASE/PES	Т*				PRODUCT
		Phytopht			an Cyst						
% Protein @13% mst.	% Oil @13% mst.	Gene Resistance Resistance	Field Tolerance	Sene Source	Bace Resistances	Southern Stem Canker	Brown Stem Rot (BSR)	Sclerotinia White Mold (SWM)	Sudden Death Syndrome (SDS)	Frogeye Leaf Spot (FELS)	Golden harvest Soybean Brands
35.3	18.8	S	4	PI88788	MR3	-	-	3	2	5	GH1763E3
33.6	19.6	Rps1c	4	PI88788	R3, MR14	-	5	3	3	5	GH1915X
-	-	S	3	PI88788	R3, MR14	-	-	3	-	-	GH1955E3 NEW
36.0	19.0	Rps1c, Rps3a	2	PI88788	MR3	-	-	4	2	4	GH2011E3
35.0	19.2	Rps1c	4	PI88788	R3, MR14	-	5	3	2	5	GH2041X
34.1	19.5	Rps1c	4	PI88788	R3, MR14	-	5	3	3	5	GH2230X
34.4	20.9	Rps1k	4	PI88788	MR3	-	-	3	3	3	GH2279E3
34.9	19.0	Rps1c	3	PI89772	MR1, MR3	-	-	4	2	4	GH2329X NEW
34.7	19.1	S	5	PI88788	MR3	-	-	4	4	3	GH2420E3
36.1	19.7	S	4	PI88788	MR3	-	-	4	3	6	GH2427LG
-	-	S	3	PI88788	-	1	-	5	5	-	GH2505E3 NEW
35.0	19.5	Rps1c	3	PI88788	MR3	-	-	5	3	3	GH2552X
34.0	21.0	Rps1k	4	Peking	-	-	-	4	3	4	GH2610E3
36.0	20.2	S	3	PI88788	MR3	-	-	4	4	3	GH2727LG
34.3	19.3	Rps1c	4	PI88788	R3, MR14	-	3	4	2	5	GH2788X
35.1	20.4	Rps1k	4	PI88788	MR3	-	-	3	3	3	GH2818E3
34.9	19.1	S	4	PI88788	R3, MR14	-	2	5	3	5	GH2981X
33.7	20.2	S	3	PI88788	MR3	-	-	5	5	2	GH3027LG
36.6	19.9	Rps1k	4	PI88788	R3, MR14	-	3	5	3	4	GH3042E3
36.5	19.8	Rps1c	5	PI88788	MR3	-	3	4	4	5	GH3152E3S
34.7	19.2	Rps1c	4	PI88788	R3, MR14	-	5	3	3	4	GH3195X
33.7	19.4	S	3	PI88788	R3	-	3	5	3	2	GH3347X NEW
-	-	S	3	PI88788	-	1	-	5	4	4	GH3380E3 NEW
35.9	19.3	S	3	PI88788	MR3	-	-	-	3	3	GH3427LG
35.3	19.0	S	3	PI88788	R3	-	3	-	3	2	GH3475X
33.3	19.2	S	3	PI88788	R3	-	4	4	2	2	GH3546X
35.0	19.9	S	3	PI88788	R3, MR14	1	4	-	3	5	GH3582E3
37.0	18.8	S	3	PI88788	MR3	1	4	-	4	2	GH3624E3
37.4	19.1	Rps3a	5	PI88788	MR3	1	-	-	-	3	GH3727LG
35.7	19.1	Rps1c	2	PI88788	R3, R14	2	3	-	3	3	GH3728X
35.2	20.2	Rps1k	3	PI88788	MR3	1	5	-	4	2	GH3759E3S
-	-	Rps1k	4	PI88788	-	1	-	-	4	2	GH3918E3S NEW
35.1	20.2	Rps1a	4	PI88788	MR3	1	3	-	3	3	GH3922E3
36.9	19.5	S	4	PI88788	MR3	1	-	-	4	2	GH3927LG
35.7	19.4	Rps1c	4	PI88788	R3, R14	1	4	-	2	4	GH3934X
36.0	19.6	Rps3a	4	PI88788	MR3	-	4	-	5	3	GH4155E3
-	-	S	4	PI88788	-	1	-	-	3	2	GH4201E3 NEW
34.5	19.5	Rps1c	3	PI88788	R3	1	2	-	3	5	GH4240XS
34.1	20.1	S	4	PI88788	R3, MR14	3	4	-	3	2	GH4307X
36.4	19.8	Rps1a	4	PI88788	MR3	1	4	-	4	2	GH4314E3

### Resistance Rating System

Indicates when a variety is resistant to a specific disease or pest. For Soybean Cyst Nematode (SCN) resistance, the nematode races the variety is resistant against are specified, when available. For Phytophthora, the gene conveying the resistance is listed.

### Phytophthora Gene Resistance

The following genes confer resistance to the listed races of Phytophthora:

Rps1a = Resistant to races 1, 2, 10, 11, 13-18, 24, 26, 27, 31, 32, 36, 38

Rps1c = Resistant to races 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26, 28-30, 32, 34, 36, 38, 44

Rps1k = Resistant to races 1-11, 13-15, 17, 18, 21-24, 26, 36-38, 44

Rps3a = Resistant to races 1-5, 8, 9, 11, 13, 14, 16, 18, 23, 25, 28, 29, 31-35, 39, 44, 45

S = Susceptible (no gene-specific tolerance)

### **Phytophthora Field Tolerance**

Usually not as complete as race-specific resistance, but it offers general protection. Resistance is not expressed in early stages of plant development. Numerical rating scale of 1-9; 1 = Best.

### Soybean Cyst Nematode (SCN)

R = Resistant

MR = Moderately Resistant

S = Susceptible

1, 3 and/or 14 = Specific race of soybean cyst nematode

### **Disease/Pest Ratings**

1 = Best

9 = Worst

- = Not available

GH1915X BRAND

RM: 1.9

### TOP PERFORMER WITH SEASON-LONG STANDABILITY

- Compact stature suited for narrow rows and highly productive fields
- Solid SDS tolerance allows early planting
- Good Iron Deficiency Chlorosis tolerance

<b>Rating</b> Emergence	9	7	5	3	BEST 1
Standability	•		•	•	•
Phytophthora Field Tolerance	• •	•	•	0	
Sudden Death Syndrome	•	•	•	•	
Sclerotinia White Mold	• •	•	•	•	
Frogeye Leaf Spot	•		•		



GH1955E3 BRAND

**NEW // RM: 1.9** 

### YIELD IMPROVEMENT ON THE ENLIST TRAIT PLATFORM

- Strong tolerance to Sclerotinia White Mold
- Very good field tolerance to Phytophthora Root Rot
- SCN resistance with good tolerance to Iron Deficiency Chlorosis







RM: 2.0

# GH2011E3 BRAND

RM: 2.0

# GREAT DISEASE PACKAGE WITH STRONG PERFORMANCE ACROSS A WIDE GEOGRAPHY

- Excellent SDS tolerance
- Rps1c/3a stack with excellent field tolerance to Phytophthora Root Rot
- Great row spacing flexibility








# GH2041X BRAND

### CAPTIVATING YIELD POTENTIAL AND STRIKING SDS TOLERANCE

- Superb SDS tolerance for an obvious advantage you can see
- Strong Sclerotinia White Mold tolerance
- Great standability throughout the season







**RM: 2.2** 

# GH2230X BRAND

### RM: 2.2

### TOP YIELD POTENTIAL ON PRODUCTIVE ACRES

- Proven Sclerotinia White Mold and solid SDS tolerance
- Provides very good harvest standability
- Genetic resistance to SCN and Rps1c
   For Phytophthora Root Rot

  Genetic resistance to SCN and Rps1c

  Frogeye Leaf Spc

  Frogeye Leaf Spc






# GH2279E3<sub>BRAND</sub>

### PRIMED TO HANDLE SCLEROTINIA WHITE MOLD

- Ideal plant type for narrow rows and high fertility
- Focus placement on productive or highly managed acres
- Good Iron Deficiency Chlorosis tolerance



SCN SOLUTIONS.



GH2329X BRAND

**NEW** // RM: 2.3

### STRONG TOP-END YIELD KICK AND RELIABLE GENETICS

- Exciting yield across MG 2 and flexible to move North or South
- Superb SDS tolerance and Pl89772 source of SCN resistance
- Strong Phytophthora field tolerance and Rps1c gene

<b>Rating</b> Emergence	9	7	5	3	BEST 1
Standability	•	•	•	0	
Phytophthora Field Tolerance	•	•	•	•	
Sudden Death Syndrome	•	•	•		• 0
Sclerotinia White Mold	•	•	•	0	
Frogeye Leaf Spot	•			0	




# GH2420E3 BRAND

RM: 2.4

### SUPERB STANDABILITY FOR AN EASY HARVEST

- Good choice for uniform and productive soils
- Compact plant that matures ahead of Phytophthora Field Tolerance pace and dries quickly
   Sudden Death Syndrome
- Carries very good Frog Eye Leaf Spot tolerance
   Sclerotinia White Mold
   Frogeye Leaf Spot





# GH2505E3 BRAND

**NEW** // RM: 2.5

### LARGE PLANT TYPE WITH EXCEPTIONAL YIELD ON TOUGH ACRES

- Maintains height on tight clay soils
- Strong emergence and vigor for early canopy closure
- Solid Phytophthora Root Rot tolerance

# Rating 9 7 Emergence Standability Phytophthora Field Tolerance Sudden Death Syndrome Sclerotinia White Mold Frogeye Leaf Spot






# GH2552X BRAND

RM: 2.5

### STRONG YIELDS WITH A COMPREHENSIVE DISEASE PACKAGE

- Dependable SDS tolerance
- Widely adapted across soils including high pH acres
- Very good Phytophthora tolerance with Rps1c gene







"OUR SEED ADVISORS AND SALES REPS WORK THROUGHOUT THE GROWING SEASON TO LEARN YOUR GROUND AND MANAGEMENT PRACTICES. WHEN IT COMES TIME TO CREATE A CROP PLAN, GOLDEN HARVEST IS IN THE UNIQUE POSITION TO BRING SYNGENTA GENETICS AND TRAITS AND POSITION THEM WITH E-LUMINATE TO HELP YOU REACH NEW LEVELS OF PRODUCTIVITY AND PROFITABILITY."

**Andrew Lee** 

Head, Golden Harvest East Commercial Unit

# GH2610E3 BRAND

**RM: 2.6** 

### DEPENDABLE SDS TOLERANCE WITH PEKING SOURCE OF SCN RESISTANCE

- Best performance in zone and North
- Recommended for Iron Deficiency Chlorosis acres
- Rps1k gene with good Phytophthora field tolerance

Rating Emergence	9	7	5	3	BEST 1
Standability	•	•	•	•	0
Phytophthora Field Tolerance	• •	•	•	0 0	
Sudden Death Syndrome	•	•	•	•	
Sclerotinia White Mold	• •	•	•	0	
Frogeye Leaf Spot				0.0	




GH2727LG BRAND

**RM: 2.7** 

### PERFORMS IN BOTH HIGH-YIELDING AND STRESS ENVIRONMENTS

- Maintains plant height very well
- Above-average SDS tolerance
- Satisfactory Iron Deficiency Chlorosis tolerance







RM: 2.8

GH2788X BRAND

RM: 2.7

### DOMINANT PERFORMANCE ON ALMOST EVERY ACRE

- Distinguishing SDS tolerance for early planting
- Superb standability helps growers glide through harvest
- Exceptional performance on highly productive acres

Rating Emergence	9	7	5	3	BEST 1
Standability	•				
Phytophthora Field Tolerance	•	•	•	0	
Sudden Death Syndrome	•	•	•	•	•
Sclerotinia White Mold	•	•	•	0	
Frogeye Leaf Spot	•		•		






# GH2818E3 BRAND

HIGH-YIELDING, GO ALMOST ANYWHERE GENETICS

- Broadly adapted with flexibility to move North or South
- Brings together SDS, SCN and Sclerotinia White Mold protection
- Easy-to-manage plant type supports all row spacings










RM: 3.1

# GH2981X BRAND

### RM: 2.9

### STABLE YIELD POTENTIAL AND SEASON-LONG STANDABILITY

- Must-have for both dryland and irrigated growers
- Solid SDS tolerance provides growers a strong early plant option
- Very good Iron Deficiency Chlorosis tolerance for Iowa and Nebraska soils






# GH3152E3S BRAND

### **DELIVERS THE BUSHELS AND HANDLES STRESS**

- Great performance in high-yielding environments
- · Maintains height, canopy, and branching under drought stress
- Outstanding emergence provides an early vegetative advantage









GH3195X BRAND

RM: 3.1

### NICE COMBINATION OF OFFENSE AND DEFENSE

- Proven across varying soils; gives confidence for your farm
- Flexible across row spacing
- · Versatility to take it north or south

ating mergence	9	7	5	3	BEST 1
tandability					
hytophthora Field olerance	•	•	•	0 0	
udden Death yndrome			•	•	
clerotinia White Iold	•			•	
rogeve Leaf Spot	•				



# GH3347X BRAND

**NEW // RM: 3.3** 

### HIGH-YIELDING GENETICS WITH PROVEN SDS TOLERANCE

- Performs across yield environments with exciting top-end yield potential
- Carries Frogeye Leaf Spot resistance gene
- Strong field tolerance to Phytophthora Root Rot






# GH3380E3 BRAND

**NEW** // RM: 3.3

### TOP-END YIELD WITH ROBUST AGRONOMICS

- Plant type handles stress well
- Dependable Phytophthora Root Rot field tolerance
- Consistent performance across environments







# GH3427LG BRAND

RM: 3.4

### **DEPENDABLE YIELDS WITH GREAT TOP-END POTENTIAL**

- Proven SDS tolerance
- Outstanding season-long standability
- Very good Frogeye Leaf Spot tolerance






LIBERTYLIN

# GH3475X BRAND

RM: 3.4

### **GREAT CHOICE FOR THE HIGHLY PRODUCTIVE ACRE**

- Very strong defensive package
- Dependable standability in a larger plant type
- Broad adaptation north to south






# GH3546X BRAND

RM: 3.5

### **OFFENSIVE AND DEFENSIVE LEADER**

- Great performance across yield levels
- Target fields with a history of Frogeye Leaf Spot or SDS
- Proven performance across varying soil types







GH3582E3 BRAND

RM: 3.5

### SUPERIOR PERFORMANCE ACROSS GEOGRAPHIES

- Very strong yields across multiple years
- Reliable SDS tolerance
- Exceptional Southern Stem Canker protection

Rating	9	7	5	3	BEST
Emergence	•	•	•		0
Standability	•	•	•	•	0
Phytophthora Field Tolerance	•	•	•	•	
Sudden Death Syndrome	•	•	•	•	
Sclerotinia White Mold		○ R	ating N	ot Avail	able
Frogeye Leaf Spot	•	•	•		



EnlistE3

# GH3624E3 BRAND

RM: 3.6

### STABLE PERFORMANCE ACROSS ACRES

- Competes well in high-yielding environments
- Good choice for variable soils
- Delivers excellent Frogeye Leaf Spot protection








RM: 3.7

# GH3728X BRAND

### RM: 3.7

### STRONG PERFORMANCE ACROSS ENVIRONMENTS

- Great yields North and South of zone
- Outstanding Phytophthora with proven SDS tolerance
- Very good heat and drought tolerance





# GH3759E3S BRAND

### NICE COMBINATION OF OFFENSE AND DEFENSE

- Rps1k gene with proven
   Phytophthora field tolerance
- Great performance in fine-textured, poorly drained soils
- Flexible product with STS herbicide tolerance










RM: 3.9

# GH3918E3S BRAND

### **NEW // RM: 3.9**

### CONSISTENT YIELDS WITH DEPENDABLE DEFENSE

- Excellent tolerance to Frogeye Leaf Spot
- · Widely adapted to all soil types
- STS tolerance for flexible placement










# GH3922E3 BRAND

### TOP YIELDS ACROSS ENVIRONMENTS

- Proven tolerance to SDS and Frogeye Leaf Spot
- Ability to handle drought stress
- · Widely adapted for easy placement








GH3934X BRAND

RM: 3.9

# PROVEN GENETICS DELIVER OUTSTANDING YIELD POTENTIAL AND SDS TOLERANCE

- Stable performance with top-end yield kick
- Performs well on heavy, poorly drained soils
- Top performance in all yield environments





# GH4201E3 BRAND

**NEW // RM: 4.2** 

### **GREAT YIELDS WITH STRONG AGRONOMICS**

- Performs well North and South of zone
- Solid tolerance to SDS
- Maintains performance across all vield levels








GH4307X BRAND

RM: 4.3

### **EXCEPTIONAL YIELD POTENTIAL WITH PROVEN AGRONOMICS**

- Strongest on heavy- to medium-textured soils
- Excellent performance on both dryland and irrigated acres
- Outstanding Frogeye Leaf Spot tolerance with very good SDS tolerance






# GH4314E3 BRAND

RM: 4.3

### **GOOD COMBINATION OF OFFENSE AND DEFENSE**

- · Well suited for variable soils
- Excellent Frogeye Leaf Spot tolerance
- Performs across all soil types







"GOLDEN HARVEST IS BUILT ON A LEGACY OF RELIABLE PERFORMANCE AND IS
EXPANDING ITS STRONG SEED PORTFOLIO TO HELP FARMERS GET THE MOST YIELD
OUT OF EVERY FIELD. OUR CORN HYBRIDS AND SOYBEAN VARIETIES ARE LOCALLY
TESTED AND PROVEN ACROSS MULTIPLE YEARS AND ENVIRONMENTS, ENSURING
STRONG AND CONSISTENT PERFORMANCE YEAR IN AND YEAR OUT."

**Steve Wilkens** 

Golden Harvest East Agronomy Manager



### **GOLDEN HARVEST PREFERRED SEED TREATMENTS**

Delivers customized soybean seed protection with improved disease control and handling properties:

- Contains an enhanced rate of Apron XL® seed treatment fungicide for superior protection of seed- and soilborne diseases such as Pythium and early season Phytophthora
- With unique polymers that bind active ingredients to the seed coat, the seed treatment decreases dust-off and improves seed flow through treating and planting equipment
- Powered by CruiserMaxx® Vibrance® with an option to add Saltro® fungicide seed treatment, the leading protection against Sudden Death Syndrome (SDS) and Soybean Cyst Nematode (SCN).

### **POWERED BY CRUISERMAXX VIBRANCE**

- Delivers early season, broad-spectrum insect and disease from day one
- Delivers faster speed to canopy and more robust, vigorous plants for improved overall performance through the Cruiser® Vigor Effect
- Optimizes root health, nutrient uptake, water usage and stress tolerance for better emergence through the unique Rooting Power of Vibrance seed treatment fungicide

'U.S. trials with SDS pressure; 2015-2019. Trial locations: AR, IL, IA, KS, KY, MI, MN, MO, TN, WI. Trials with significantly different disease incidence/severity rating between Check and SDS treatment. CruiserMaxx Vibrance Beans is an on-seed application of CruiserMaxx Vibrance alone or with Apron XL.

### **ENHANCED WITH SALTRO®**

- 4+ bushels per acre (bu/A) yield improvement over ILEVO® under SDS pressure
- Higher intrinsic activity than older technology to protect against the cause of SDS
- Robust activity against soybean cyst, root knot, reniform, lesion and lance nematodes
- Superior protection from SDS without signs of plant stress, including phytotoxicity, stunting, reduced plant stands, susceptibility to pests or weather, and reduced plant growth above and below ground

### SEED CARE



### CruiserMaxx Vibrance

CruiserMaxx Vibrance seed treatment provides powerful protection for corn and soybeans against early-season insects and seedborne and soilborne diseases, promoting optimal root health, stress tolerance and plant vigor for better emergence.



Avicta® Complete Corn 500 seed treatment offers triple protection against early-season nematodes, insects and disease.



Saltro® fungicide seed treatment provides consistently superior SDS protection without the plant stress. Delivering upgraded SDS protection, robust nematode activity and less early-season stress, Saltro helps soybeans reach their full genetic yield potential.

### **HERBICIDES**



### Acuron®

Acuron® corn herbicide helps unlock your corn's full yield potential by controlling tough weeds other products miss.



Tavium® Plus VaporGrip® Technology herbicide features two sites of action for contact and long-lasting residual control of key broadleaf and grass weeds in Roundup Ready 2 Xtend® Soybeans.

### **FUNGICIDES**



# ×× Miravis Neo

Miravis® Neo fungicide provides plant-health benefits and longlasting protection against corn leaf blight (NCLB), gray leaf spot (GLS), tar spot and ear rot in corn. In soybeans, this product delivers broad spectrum control of devastating diseases like brown spot and frogeye leaf spot, while also controlling white mold.

### **INSECTICIDES**



## 

Force® 6.5G insecticide granular insecticide controls corn rootworm and other soil-dwelling insects in corn with a lower dust formulation that offers excellent application flexibility.



Besige® insecticide provides long-lasting protection against lepidopteran pests along with broad-spectrum control of other damaging insects.



# DATA INSIGHTS DRIVE INFORMED DECISION-MAKING.

Our exclusive E-Luminate® digital agronomy platform contains over 15 years of environmental and trial data. That powerhouse of information enables your Golden Harvest Seed Advisor to more precisely place products for maximum performance and gain insights that inform next year's crop plan. Its capabilities include:




### **GaMePLaN**

- Final field x field plan
- Rate assignments
- Proposals
- Customized product information




### RangeFinder

- Variable rate scripts
- Auto-generated based on Golden Harvest trialing
- RangeFinder Population testing blocks



### **E-Luminate Mobile**

- Disease-fungicide application
- Pollination timing
- Start yield expectations
- In-field Decision Hub



### **Decision Hub**

- Weather data
- Predictive analytics
- Seasonal review
- Monitor data importation-yield, as applied

# UNDERSTANDING THE AGRISURE TRAITS PORTFOLIO.

TO HELP FARMERS UNDERSTAND THE COMPETITIVE ADVANTAGE OF AGRISURE TRAITS, A STREAMLINED NAMING SYSTEM WAS DEVELOPED. THE NAMING SYSTEM CREATES CONSISTENCY FOR DELIVERY OF NEW TECHNOLOGY AND TRAIT-STACKING OPPORTUNITIES.





On each seed bag tag, farmers will see four numbers. How it works:


MASTER BRAND	SUFFIX	TECH SERIES	TRAITS	ARTESIAN HYBRID	INTEGRATED, SINGLE BAG
Agrisure Agrisure	Duracade Viptera	[5] [3]	MODES OF ACTION  2 2 2  LEON BOILER BOILER CONTINUOUS CONTINUO CON	[A]	E-Z Refuge
The master brand.	The <b>brand suffix</b> changes as new technologies are introduced.	The technology series is indicated by the first number.	The numerical identifiers represent the number of insect control modes of action.  Note: Insect categories are in alphabetical order	The <b>letter A</b> indicates the hybrid is a water-optimized Agrisure Artesian hybrid.	The <b>E-Z Refuge</b> descriptor indicates that the hybrid is an integrated, single-bag refuge product.

Note: The naming system does not apply to Agrisure 3000GT.

### GOLDEN Harvest Corn







# PROTECT AND PRESERVE.

# A STRONG STEWARDSHIP PROGRAM IS ESSENTIAL FOR PROTECTING AND PRESERVING THE LONG-TERM **VALUE OF INSECT-PROTECTED** TRAIT TECHNOLOGY.

Golden Harvest provides responsible agriculture programs and information regarding the safe handling and storage of product.

### STEWARDSHIP REQUIREMENTS

Read and understand the stewardship requirements found in the Syngenta Stewardship Guide, including applicable refuge requirements when planting insect- protected traits as set forth in the Syngenta Seeds, LLC Stewardship Agreement that you sign. To sign an agreement or view recommended planting configurations, please visit SyngentaStewardship.com or contact the Stewardship team: 1-877-476-2676. In addition, Enogen corn must be grown as an identity preserved crop in compliance with the Enogen stewardship program. By opening and using a bag of seed, you are reaffirming your obligation to comply with those stewardship requirements.

### **BEST MANAGEMENT PRACTICES**

The agricultural industry has learned that, in addition to planting a refuge, a sound Integrated Pest Management (IPM) strategy is needed to prevent Corn Rootworm (CRW) resistance. For more information on how you can implement Best Management Practices (BMPs) on your farm, including crop and trait rotation, refer to the industry CRW BMPs found on the NCGA website at NCGA.com/CornRootworm or SyngentaStewardship.com.

### CORN REFUGE REQUIREMENTS

It is important to recognize that different hybrid/trait packages may have different Insect Resistance Management (IRM) requirements. On-farm mixing of any seed is not an approved method to comply with stewardship requirements.

TRAIT STACK*	MINIMUM REFUGE REQUIREMENT CORN-GROWING REGION	MINIMUM REFUGE REQUIREMENT COTTON-GROWING REGION			
Agrisure3000GT AgrisureArtesian	20%	50%			
AgrisureViptera	20%				
AgrisureViptera 3220 t-2 Refuge  AgrisureViptera 3300 t-2 Refuge  Agrisure3120  E-2 Refuge  Agrisure3122  E-2 Refuge  AgrisureDuracade 5122 t-2 Refuge  S222 t-2 Refuge	E-Z Refuge — no additional refuge required	20% supplemental refuge			

Refuge size is calculated by applying the appropriate percentage (e.g., 20%, 50%) to the TOTAL CORN ACRES

Calculator available to help farmers plan how to meet the minimum refuge requirements for each Bt corn product on their farm. Download at www.irmcalculator.com

\*These products may be offered as Agrisure Artesian® corn hybrids, which convert water to grain more efficiently. Artesian® corn hybrids are designated by an 'A' at the end of the

Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium-based herbicides.

Syngenta hereby disclaims any liability to Third Party websites referenced herein.











### **GRAIN MARKETING**

Farmers are encouraged to consult the Bio Trade Status website for the approval status of commercially available hybrids: BioTradeStatus.com. Talk to your grain handler prior to delivering crop so that it can be handled and marketed appropriately. Please contact your local seed representative with any questions.

# **CORN CROP PLANNING**

Field Name:
Hybrid:
Population:
Management Considerations:
IG
Field Name:
Variety:
Population:
Management Considerations:

# **CORN CROP PLANNING**

Field Name:	Field Name:
Hybrid:	Hybrid:
Population:	Population:
Management Considerations:	Management Considerations:
SOYBEAN CROP PLANNING	
COLDEAN ONOL LEANNING	
Field Name:	Field Name:
Variety:	Variety:
Population:	Population:
Management Considerations:	Management Considerations:
	_



Product performance assumes disease presence.

©2020 Syngenta. Important: Always read and follow label instructions. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status. AAtrex 4L, AAtrex Nine-O, Acuron, Agri-Flex, Agri-Mek 0.15EC, Agri-Mek SC, Avicta 500FS. Avicta Complete Beans 500, Avicta Complete Corn 250, Avicta Complete Corn 500, Avicta Duo Corn, Avicta Duo 250 Corn, Avicta Duo Cotton, Avicta Duo COT202, Besiege, Bicep II Magnum, Bicep II Magnum FC, Bicep Lite II Magnum, Callisto Xtra, Cyclone SL 2.0, Denim, Endigo ZC, Endigo ZCX, Epi-Mek 0.15EC, Expert, Force, Force 3G, Force CS, Force Evo, Force 6.5G, Gramoxone SL, Gramoxone SL 2.0, Gramoxone SL 3.0, Karate with Zeon Technology, Lamcap, Lamcap II, Lamdec, Lexar, Lexar EZ, Lumax, Lumax EZ, Medal II ATZ, Minecto Pro, Proclaim, Tavium Plus VaporGrip Technology, Voliam Xpress and Warrior II with Zeon Technology are Restricted Use Pesticides.

Some seed treatment offers are separately registered products applied to the seed as a combined slurry. Always read individual product labels and treater instructions before combining and applying component products. Orondis Gold may be sold as a formulated premix or as a combination of separately registered products: Orondis Gold 200 and Orondis Gold B.

Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium based herbicides. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF. GT27™ is a trademark of M.S. Technologies and BASF. HERCULEX® and the HERCULEX Shield are trademarks of Dow AgroSciences, LLC. HERCULEX Insect Protection technology by Dow AgroSciences. Under federal and local laws, only dicamba-containing herbicides registered for use on dicamba-tolerant varieties may be applied. See product labels for details and tank mix partners. Golden Harvest® and NK® Soybean varieties are protected under granted or pending U.S. variety patents and other intellectual property rights, regardless of the trait(s) within the seed. The Roundup Ready 2 Yield® and Roundup Ready 2 Xtend® traits may be protected under numerous United States patents. It is unlawful to save soybeans containing these protected traits for planting or transfer to others for use as a planting seed. Only dicamba formulations that employ VaporGrip® Technology are approved for use with Roundup Ready 2 Xtend® soybeans. Only 2,4-D choline formulations with Colex-D® Technology are approved for use with Enlist E3® soybeans. Roundup Ready 2 Yield®, Roundup Ready 2 Xtend®, and VaporGrip® and YieldGard VT Pro® are trademarks of, and used under license from, Monsanto Technology LLC. ENLIST E3® soybean technology is jointly developed with Dow AgroScience LLC and MS Technologies LLC. The ENLIST trait and ENLIST Weed Control System are technologies owned and developed by Dow Agrosciences LLC. ENLIST® and ENLIST E3® are trademarks of Dow AgroSciences LLC. STS® is a registered trademark of DuPont. The trademarks or service marks displayed or otherwise used herein are the property of a Syngenta Group Company. All other trademarks are the property of their respective owners. More information about Agrisure Duracade® is available at http://www.biotradestatus.com/

All photos are either property of Syngenta or used with permission.















1-800-944-7333 | GOLDENHARVESTSEEDS.COM







